



Paint Equipments

INNOVATION
BEYOND
PERFECTION

*Catalogue / Price List
1st June, 2024*





CONVENTIONAL / PROFESSIONAL SPRAY GUNS



1 Pint

PS-01



1/2 Pint

PS-02



1/4 Pint

PS-03



1 Pint

PF-01



1/2 Pint

PF-02



1 Pint

PJ-01



W-71



W-77



W-101

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
PS-01	20-50 psi	600 ml	1.3,1.5,1.7,2.0,2.5	Gravity	1/4"	710 gm	20 Pcs.
PS-02	20-40 psi	100 / 300 ml	1.2	Gravity	1/4"	410 gm	30 Pcs.
PS-03	20-40 psi	100 / 300 ml	0.9	Gravity	1/4"	325 gm	30 Pcs.
PF-01	30-40 psi	600 ml	1.3,1.5,1.7,2.0,2.5	Gravity	1/4"	680 gm	10 Pcs.
PF-02	20-30 psi	300 ml	0.5,0.8,1.0,1.2	Gravity	1/4"	460 gm	10 Pcs.
PJ-01	30-40 psi	600 ml	1.3,1.5,1.7, 2.0,2.5,3.0	Gravity	1/4"	660 gm	10 Pcs.
W-71	40-50 psi	-	1.3,1.5,1.8	Pressure	1/4"	460 gm	5 Pcs.
W-77	40-50 psi	-	1.5,2.0,2.5	Pressure	1/4"	540 gm	5 Pcs.
W-101	30-40 psi	-	0.8,1.0,1.3,1.5	Pressure	1/4"	350 gm	5 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-1



PROFESSIONAL SPRAY GUNS / AUTOMATIC GUN



CP-PY-SGD-71-0.7



W-200



R-2R



LPH-50



F-2



K-3

1.0 mm-E2P / 1.3 mm-H2
1.2 mm-G2P / 1.5 mm-K2



WA-101



WA-200



12mm x 10 Mtr.

TAFLOX TAPE

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Control	Weight	Std. Packing
CP-PY-SGD-71	30-70 psi	-	2.0	Pressure	1/4"	Trigger Action	500 gm	1 Pc.
W-200	30-40 psi	-	1.3, 1.5	Pressure	1/4"	Trigger Action	430 gm	5 Pc.
R-2R	20-40 psi	100 ml	0.3, 0.5	Gravity	1/4"	Trigger Action	240 gm	1 Pc.
LPH-50	20-30 psi	300 ml	1.0	Gravity	1/4"	Trigger Action	220 gm	1 Pc.
F-2	30-40 psi	100 ml	1.0	Gravity	1/4"	Trigger Action	220 gm	20 Pcs.
K-3	30-40 psi	100 ml	0.8	Gravity	1/4"	Trigger Action	220 gm	20 Pcs.
Model No.	Operating Pressure	Nozzle Size (mm)		Feed	Air Inlet	Weight	Std. Packing	
WA-101	40-50 psi	0.8, 1.0, 1.2, 1.3, 1.5, 1.8, 2.0		Pressure	1/4"	425 gm	1 Pc.	
WA-200	40-50 psi	1.2, 1.3, 1.5, 1.8, 2.0		Pressure	1/4"	455 gm	1 Pc.	

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-2



AUTOMATIC / DIFFERENT PURPOSE SPRAY GUN



WRA-101



WRA-200



ST-6



A-100



CP-SGA-101-101P



CP-PY-NPA-201-132P



CP-PY-NPA-202-06P



CP-PY-W-101-15HP



HRS-80

Model No.	Operating Pressure	Nozzle Size (mm)	Feed	Air Inlet	Weight	Std. Packing
WRA-101	40-50 psi	1.3	Pressure	1/4"	280 gm	1 Pc.
WRA-200	40-50 psi	1.5	Pressure	1/4"	310 gm	1 Pc.
ST-6	30-50 psi	0.5, 1.0, 1.3, 2.0	Pressure	6 mm	270 gm	1 Pc.
A-100	30-50 psi	1.0, 1.3	Pressure	1/8"	265 gm	1 Pc.
CP-SGA-101	98 psi	1.0	Pressure	1/4"	305 gm	1 Pc.
CP-PY-NPA-201	98 psi	1.3	Pressure	1/4"	635 gm	1 Pc.
CP-PY-NPA-202	98 psi	0.6	Pressure	1/4"	315 gm	1 Pc.
CP-PY-W-101	98 psi	1.5	Pressure	1/4"	600 gm	1 Pc.
HRS-80	75-100 psi	1.5	Suction	1/4"	550 gm	1 Pc.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available


P-3




DIFFERENT PURPOSE SPRAY GUN / DIAPHRAGM PUMP



SGD-71



W1-A



W1/LW-15B



R-2200 AC-B



MRS-F
RELEASE AGENT



BARE PUMP
DIAPHRAGM PUMP

Prona



BDP-12
DIAPHRAGM PUMP

WOLF KING



WK-A 20
DIAPHRAGM PUMP

WOLF KING



WK-A-12 J
DIAPHRAGM PUMP

Model No.	Operating Pressure	Cup Capacity	Nozzle Size (mm)	Feed	Air Inlet	Control	Weight	Std. Packing	
SGD-71	20-50 psi	1000 ml	0.7, 2.0	Pressure	1/4"	Trigger Action	1042 gm	1 Pc.	
W1-A	90-100 psi	-	-	Pressure	1/4"	-	480 gm	1 Pc.	
W1/LW-15B	90-100 psi	-	1.5	Pressure	1/4"	-	1.100 kg	1 Pc.	
R-2200 AC-B	80-100 psi	-	-	Pressure	1/4"	Trigger Action	620 gm	1 Pc.	
MRS-F	20-30 psi	-	0.3, 0.5	Pressure	4 mm	Trigger Action	250 gm	1 Pc.	
Model No.	Fluid Input Size	Max. Pressure	Air Input Size	Starting Pressure	Max. Pump Speed	Each Cycle Capacity	Max. Air Consumption	Lift Range	Weight
BARE PUMP	1/2"	7 Bar	1/2"	Planar Valve 1.6 bar	400 cpm	0.15 L	350 NL/min	3.4mWet;3.7mDry	4.2 kg
BDP-12	3/8"	6 Bar	1/4"	Planar Valve 1.6 bar	300 cpm	0.06 L	150 NL/min	6.4mWet;3.7mDry	7.3 kg
WK-A-20	1/2"	7 Bar	1/4"	Planar Valve 1.6 bar	400 cpm	0.15 L	350 NL/min	3.4mWet;3.7mDry	9 kg
WK-A-12J	3/8"	7 Bar	1/4"	Planar Valve 1.6 bar	300 cpm	0.06 L	150 NL/min	6.4mWet;3.7mDry	7 kg

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-4



AGITATOR / PAINT TANK

Prona



**RB-4A
AGITATOR**

WOLF KING



WK-AM2R

WOLF KING



**WK-AM2SC
AGITATOR**

WOLF KING



**WK-1HL
AGITATOR**

WOLF KING



MOTER



PT-02



PT-08



**PTA-10 / 20
WITH AGITATOR**



**PT-10 / 20
MANUAL**

Model No.	Power		Motor	Capacity	Axis Size	Axis Dimension	Weight
RB-4A	0.25 HP		M 30	40 L	95 mm	12x400 mm	2.74 kg
Model No.	Gear Ratio	Power	Torque	Speed	Air Consumption	Air Input Size	Weight
WK-AM2R	1:1	0.16 HP	0.95 (nm)	1200 R/min.	210 L/min.	1/8"	4.5 kg
WK-AM2SC	1:1	0.16 HP	0.95 (nm)	1200 R/min.	210 L/min.	1/4"	3.6 kg
WK-1HL	1:1	0.026 HP	0.15 (nm)	1200 R/min.	40 L/min.	1/8"	2.5 kg
Model No.		Max. Pressure	Power (HP)	Max. Ratio Speed	Air Consumption	Axes Dimension	Weight
M-10		3.5 kg	1/16	2200 R/min.	200 L/min.	7	450 g
M-20		7 kg	1/8	3000 R/min.	380 L/min.	10	1.8 kg
M-30	7 kg	1/4	2500 R/min.	360 L/min.	10	1.5 kg	
Model No.		Capacity		Working Pressure (bar)	Paint Output	Weight	
PT-02		2 Ltr.		3.5-4	1/4"	1.5 Kg	
PT-08		10 Ltr.		1.4-2.0	1/4"	12.30 Kg	
PTA-10/20		10/20 Ltr.		1.4-2.1	1/4"	14.85 / 21.95 Kg	
PT-10/20		10/20 Ltr.		1.4-2.0	1/4"	13.65 / 21.35 Kg	

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-5



PAINT TANK / REGULATOR



PT-17



PT-30

WOLF KING



WK-PR-6B

WOLF KING




WK-PR-5B

WOLF KING



WK-CT-5B

WOLF KING



WK-JT

WOLF KING



WK-BYF



Pneumatic Fittings



AC-4010-04 1/2"
AC-2010-02 1/4"
AF-4000-04 1/2"
AF-2000-02 1/4"
AW-4000-04 1/2"
AW-2000-02 1/4"
AR-4000-04 1/2"
AR-2000-02 1/4"

FRL

Model No.	Capacity	Working Pressure (bar)	Paint Output	Weight
PT-17	17 Ltr.	-	1/4"	-
PT-30	30 Ltr.	-	1/4"	-

Model No.	Out Max.	Fluid Input Size	Fluid Export Size	Max. Passage Amt.	Pressure Ratio	Weight
WK-PR-6B	2.5 Mpa	3/8"	1/4"	2 L/min.	1:1	1.2 kg
WK-PR-5B	2.5 Mpa	1/4"	1/4"	3 L/min.	1:1	1.2 kg
WK-CT-5B	2.5 Mpa	1/4"	1/4"	3 L/min.	4:1	0.4 kg
WK-JT	2.5 Mpa	1/4"	1/4"	2 L/min.	1:1	0.5 kg
WK-BYF	1.24 Mpa	3/8"	3/8"	-	-	1.6 kg

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.

All Spare Parts Available

P-6



AIR BLOW GUN / PRESSURE CLEANING GUN



ABG-04



Brass Thread

ABG-05 P



Brass Thread

ABG-06



ABG-07



Brass Thread

AG-ASB



DG-10+1



CWG-01



CWG-02



CWG-03

Model No.	Max. Pressure	Air Inlet	Weight	Std. Packing
ABG-04	8-10 Bar	1/4"	220 gm	50 Pcs.
ABG-05 P	8-10 Bar	1/4"	140 gm	50 Pcs.
ABG-06	8-10 Bar	1/4"	90 gm	100 Pcs.
ABG-07	8-10 Bar	1/4"	90 gm	100 Pcs.
AG-ASB	8-10 Bar	1/4"	55 gm	100 Pcs.
DG-10+1	8-10 Bar	1/4"	125 gm	100 Pcs.
CWG-01	30-70 psi	3/8"	420 gm	20 Pcs.
CWG-02	30-70 psi	3/8"	520 gm	20 Pcs.
CWG-03	30-70 psi	3/8"	420 gm	20 Pcs.

Note : We Shall Not Be Responsible For Any Breakage/Damage In Transit. However, All Spare Parts Remain Available At Extra Cost.



NEW

QUICK RELEASE COUPLER

MODEL	PNEUMATIC COUPLING - REGULAR QUALITY MADE OF STEEL							
SIZE	PH	PP	PM	PF	SH	SP	SM	SF
1/4" /20								
3/8" /30								
1/2" /40								

M.O.Q. : 50 Nos. Each

NEW

MODEL	PNEUMATIC COUPLING (HIGH QUALITY - JAPANESE STANDARD) STEEL BODY - ONE TOUCH							
SIZE	JPH	JPP	JPM	JPF	JSH	JSP	JSM	JSF
1/4" /20								
3/8" /30								
1/2" /40								

M.O.Q. : 20 Nos. Each

NEW

MODEL	PNEUMATIC COUPLING 304 STAINLESS STEEL							
SIZE	SJPH	SJPP	SJPM	SJPF	SJSH	SJSP	SJSM	SJSF
1/4" /20								
3/8" /30								
1/2" /40								

M.O.Q. : 10 Nos. Each



PU HOSE / PU COILS



PU HOSE



PU COIL

Model No.	Size - O.D. x I.D. (mm)	Standard Length Meters / Roll
ELP-0425	4x2.5	200
ELP-0604	6x4	100
ELP-0805	8x5	100
ELP-0855	8x5.5	100
ELP-0806	8x6	100
ELP-1065	10x6.5	100
ELP-1080	10x8	100
ELP-1280	12x8	100
ELP-1612	16x12	50

PU COIL

Model No.	Size - O.D. x I.D. (mm)
ELP-0604C	6x4
ELP-0805C	8x5
ELP-1065C	10x6.5
ELP-1208C	12x8

* Also, Available With End Fittings, With 125/- Extra On 8x5 mm Coils & 150/- Extra On 12x8 mm Coils On Nett. Prices.
(end Fittings Contains Both Size Springs & Brass Fittings)

Note :

M.O.Q. Of Any Size Of Coil Is 10 Nos.

5% Extra On The Rates Shall Be Charged For All Other Colors Except Blue & Yellow.

Pu Coils Are Available In 4 Sizes - 5 Mtr., 10 Mtr., 15 Mtr. & 20 Mtr.



OTHER BRAND



PNEUMATIC FITTINGS

15 PC CONNECTOR

Model	Size
06-01	6 x 1/8"
06-02	6 x 1/4"
06-03	6 x 3/8"
06-04	6 x 1/2"
08-01	8 x 1/8"
08-02	8 x 1/4"
08-03	8 x 3/8"
08-04	8 x 1/2"
10-01	10 x 1/8"
10-02	10 x 1/4"
10-03	10 x 3/8"
10-04	10 x 1/2"
12-01	12 x 1/8"
12-02	12 x 1/4"
12-03	12 x 3/8"
12-04	12 x 1/2"



16 PCF CONNECTOR

Model	Size
06-01	6 x 1/8"
06-02	6 x 1/4"
06-03	6 x 3/8"
06-04	6 x 1/2"
08-01	8 x 1/8"
08-02	8 x 1/4"
08-03	8 x 3/8"
08-04	8 x 1/2"
10-01	10 x 1/8"
10-02	10 x 1/4"
10-03	10 x 3/8"
10-04	10 x 1/2"
12-01	12 x 1/8"
12-02	12 x 1/4"
12-03	12 x 3/8"
12-04	12 x 1/2"



17 PUC - EQUAL UNION

Size
6
8
10
12



18 PUT - EQUAL TEE

Size
6
8
10
12



19 PUL - EQUAL ELBOW

Size
4
6
8
9
10
12
14
15
16



20 PT MALE TEE BRANCH

Model	Size
06-01	6 x 1/8"
06-02	6 x 1/4"
06-03	6 x 3/8"
06-04	6 x 1/2"
08-01	8 x 1/8"
08-02	8 x 1/4"
08-03	8 x 3/8"
08-04	8 x 1/2"
10-01	10 x 1/8"
10-02	10 x 1/4"
10-03	10 x 3/8"
10-04	10 x 1/2"
12-01	12 x 1/8"
12-02	12 x 1/4"
12-03	12 x 3/8"
12-04	12 x 1/2"



M.O.Q : 25 Nos. Each



MKTD BY. ANU MARKETING
9654907190